



Professional Packaging Systems

2010 S. Great Southwest Parkway
Grand Prairie, Texas 75051
www.ProPac.com

Contact

Our Packaging Experts
solutions@propac.com
888-318-0083

Autobag 650 Horizontal Wide Bagging System



At a Glance

- Large load area for order prep and bulk product queuing
- Next-bag-out thermal transfer printing ensures accuracy in applications requiring frequent label changeovers
- Easily integrates with most WMS systems for ecommerce fulfillment applications
- Simple height adjustment and casters for operator comfort and portability

Buy your [bags-on-a-roll](#) from us, and get a discount on this Autobag bagger!

Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

Large Load Area with Integrated Printer for Order Processing

The Autobag 650 Horizontal wide bagger is an automatic filling and sealing machine is designed for ecommerce returns processing, inbound dust cover bagging, and more.

The Autobag 650 Horizontal bagger is capable of running 16" wide bags, with a large load area for order prep and bulk product queuing. A compact design minimizes floor space. Developed for reliability, flexibility and optimizing packaging throughput, this system delivers maximum uptime while lowering total package cost.

When used with genuine [Autobag pre-opened bags-on-a-roll or bags-in-a-box](#), the Autobag 650 Horizontal ushers in the next evolution of high-quality, reliable and flexible wide bag packaging, backed by the industry's most comprehensive engineering and field service network.

User Benefits

Easily integrates with most Warehouse Management System (WMS) products for ecommerce fulfillment applications

Horizontal configuration ensures label-up orientation every time

24" conveyor boasts a generous open-space design, enabling unrestricted access and effortless transition onto secondary conveyance systems

Next-bag-out thermal transfer printing ensures accuracy in applications requiring frequent label changeovers

Simple machine design minimizes operator training requirements - perfect for high-turnover, seasonal labor

Inherently safe design provides maximum operator protection
Load direction configurable for left- or right- hand operation
Multi-position unwind with tension control simplifies changeover
Adjustable pass-through up to 6" for maximum flexibility and packaging efficiency
Advanced sealing technology and temperature control ensure consistent, high-quality seals
Fewer moving parts reduce ownership cost and improve reliability, while on-board diagnostics and modular components simplify maintenance
Networked to facilitate full pack station integration and central monitoring
AutoTouch Control Screen accesses, help system, on-board diagnostics, and performance data

Typical Applications

Ecommerce returns processing
Inbound dust cover bagging
Single or multi-line ecommerce fulfillment
Short-run production with frequent changeovers in any market

Bag Specifications

Film thickness: 1.09 to 4.0 mil
Width: 4" to 16"
Length: 5.5" to 36"
Pass-Through: 6" (15.24 cm)
Bag Load Capacity: Up to 5 lbs (with load shelf)

Specifications of the Autobag 650 Horizontal

Electrical: 10V to 240V VAC, 50/60 Hz
Power Consumption: 750 Watts (VA) max
Air: 5 CFM/80 psi of clean, dry air
Dimensions: 34.38"W x 66.6"L x 34.15" load table height
Top of HMI: 53.58"
Weight: 610 lbs

Please [contact Pro Pac](#) or call 888-318-0083 for your bagging equipment.