



Professional Packaging Systems

2010 S. Great Southwest Parkway
Grand Prairie, Texas 75051
www.ProPac.com

Contact

Our Packaging Experts
solutions@propac.com
888-318-0083

Adco 15D105 Hand Load Carton Former

At a Glance

- Forms a wide range of carton sizes and styles
- Speeds up to 125 cycles per minute
- Fast changeover, simple operation, excellent ergonomics
- Stainless steel construction

Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.



Popular Carton Former Built for Demanding Cartoning Production

The Adco 15D105 is one of the most recognized cartoners among packagers. Capable of forming a wide range of carton sizes and styles at speeds up to 125 cartons per minute, the affordable 15D105 is ideal for the most demanding and cost conscious production environments.

The 15D105 features continuous motion design, delivering smooth, efficient and reliable operation all day, every day. Designed for easy conversion to a fully automatic barrel cam machine, the 15D105 can change as your production needs change.

Fast changeover, simple operation and excellent ergonomics, all hallmarks of the 15D105, make this machine an incredibly popular choice.

Like all Adco machines, the 15D105 is constructed in stainless steel and is available in both standard and washdown configurations.

Benefits

Stainless steel construction improves cleanability and eliminates corrosion

2-head rotary carton feeder ensures smooth, efficient operation

Fast, easy changeover with screw adjustable overheads maximizes productivity

Compact frame with leveling feet and casters saves space and maximize portability

Large carton size range with oversizing options protects your investment as products change

Ergonomically-designed product load table minimizes fatigue and maximizes productivity

Advanced guard design keeps operators safe and maximizes maintenance access

Features

Stainless steel construction

Compact frame with leveling feet and casters

4' horizontal powered easy-to-load carton magazine

2-head rotary carton feeder

Ergonomically-designed 6' dual station product load table

Capable of erecting and sealing either tuck-lock style or glued cartons

Nordson ProBlue hot melt glue system (when glue is specified)

Relay logic controls, PLC upgrade available

Category 3 safety system with a fully-interlocked barrier guard package

Many options available upon request

Options

Orbital feeder with pre-break

Washdown construction

Glue or tablock tuck style closure

10' bolt on conveyor

Marking and coding systems

24" Additional hand load section

72" Powered magazine

Powered side discharge belts

Extensive size range extending options

Available auto-load barrel cam conversion

Applications

Flow-wrapped products

Bag-in-box

Frozen food

12" Pizzas

Ready meals

Pharmaceuticals

Dairy products

Frozen novelties

Personal care

Consumer goods

Beverage

Carton Size Range

Length of Opening: 1.5" to 9" (25 to 229mm)

Width of Opening: 0.75" to 4" (20 to 102mm)

Carton Depth: 4" to 12" (100 to 305mm)

Specifications

Electrical: 230 VAC, 3-Phase with ground (PE), 60 Hz, 25A

Air: 10 CFM @ 95 psi

Please [contact Pro Pac](#) or call 888-318-0083 for your cartoning equipment.