



## Professional Packaging Systems

2010 S. Great Southwest Parkway  
Grand Prairie, Texas 75051  
[www.ProPac.com](http://www.ProPac.com)

## Contact

Our Packaging Experts  
[solutions@propac.com](mailto:solutions@propac.com)  
888-318-0083

# Arpac PC-2000 Intermittent Motion Wrap-Around Case Packer



## At a Glance

- High-performance intermittent motion wrap-around packer
- Up to 20 cases per minute
- Reduce labor, increase productivity, reduce costs
- Dual opposing vacuum case opening system

Buy your trays and cases from us, and get a discount on this Arpac case erector!

## Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

## Wrap-Around Cases at 20 per Minute

The Arpac PC-2000 is a high-performance intermittent motion wrap-around case and tray packer capable of reaching speeds of up to 20 cases or trays per minute. The PC-2000 uses up to 20% less corrugated material as compared to regular slotted cases (RSCs) resulting in significant annual material savings. This rugged machine reduces labor, increases productivity, reduces packaging costs and integrates easily into new or existing packaging lines.

The PC Series packers work well with many tapes of packages. The system collates the products, loads the corrugated cases or trays and closes them with hot-melt glue.

## Features of the PC-2000

Speeds of up to 20 cases or trays per minute

Uses up to 20% less corrugated material as compared to regular slotted case (RSC)

Works well with metal cans, paper cans, glass jars, glass bottles, plastic jars and plastic bottles

Provides tight packages minimizing the need for partitions while protecting glass containers from damage

Options allow for automatic insertion of partitions/dividers for the ultimate in product protection

Easily adjusts to varying product sizes, speeds and product patterns

Runs trays and wrap-around cases

Manufacturer's joint, inside or outside

## Options

Wrap-around tray kit  
Servo changeover  
Servo lane divider  
Partition inserter

## Machine Specifications

Speed: Up to 20 cases per minute  
Electrical: 240 or 480VAC, 3 phase, 60 Hz  
Air: 80 psi, 20 CFM  
Glue System: Nordson ProBlue 4

## Case Sizes

Width (across machine): 7.7" to 23.2"  
Length (flow direction): 3.2" to 15.3"  
Height: 4.7" to 14.7"