



Professional Packaging Systems

2010 S. Great Southwest Parkway
Grand Prairie, Texas 75051
www.ProPac.com

Contact

Our Packaging Experts
solutions@propac.com
888-318-0083

BestPack MSD Manual Side Drive Uniform Case Sealer



At a Glance

- Side belt drive
- Most popular BestPack taper
- Four adjustable legs for height modification
- Exclusive 2 inch or 3 inch pop-out pressure-sensitive high-speed tape heads
- Telescopic mast design
- Up to 40 cases per minute

Buy your [case sealing tape](#) from Pro Pac, and get a discount on this BestPack case taper!

Pricing

Call us at **888-318-0083**

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

Quad-Belt Drive Provides Carton Stability and Effective Sealing

The BestPack MSD semi-automatic uniform case sealers are very popular. The MSD operator-fed case sealer is a top of the line machine, designed to suit a variety of light-to-heavy duty uniform carton closure applications. Using side belt technology, the MSD case taper will seal very narrow to wide cartons. Dual telescopic masts allow for an extra 4" carton height extension on the upper assembly.

The BestPack MSD line incorporates exclusive 2" or 3" pop-out pressure-sensitive high-speed tape heads with BestPack's patented tab adjustment. All BestPack units are available in standard baked enamel finish and food grade 304 stainless steel for 21 CFR 110 compliance.

Features

Exclusive pop-out pressure sensitive high-speed tape head with patented tab adjustment and noise reduction arm.

Two belt side drive system.

Telescopic mast.

Extra 4" height adjustment available on upper assembly.

MSD22 & MSD32 adjustable bed height: 23.5" - 30.0".

MSD23 & MSD33 adjustable bed height: 25.75" - 30.0".

Width/height adjustment knobs can be mounted on either side of carton sealer.

Upper side compression unit.

Tape roll lengths: 1000 yd, 1500 yd & 2000 yd.

Heavy-duty frame.

UL approved electrical parts.

Capable of interchanging 2" or 3" tape heads.

Electrical on/off box can be mounted on either side of carton sealer.

Options

Spare parts kit

Spare tape head

High-speed motor upgrade (up to 125 feet per minute)

Heavy-duty locking casters

3 flap folder

Food grade 304 stainless steel

Short infeed/exit conveyor with L-bracket

Power & Air

Power: 110 Volts, 60 Hz

Air: None

Please [contact Pro Pac](#) or call 888-318-0083 for your case sealing equipment.

Specifications

Model	Machine Dimensions	Case Length	Case Width	Case Height	Conveyor Height	Cases per Minute	Shipping Weight
MSD22-2 2" Tape Head	39.5"L x 32.8"W x 70.3"H	6.0" - ∞"	4.25" - 20.0"	3.5" - 20.5"	23.5" - 30"	Up to 40	342 lbs
MSD22-3 3" Tape Head	39.5"L x 32.8"W x 70.3"H	6.0" - ∞"	5.25" - 20.0"	3.5" - 20.5"	23.5" - 30"	Up to 40	342 lbs
MSD22-6 6" Tape Head	39.5"L x 32.8"W x 70.3"H	6.0" - ∞"	8.25" - 20.0"	3.5" - 20.5"	23.5" - 30"	Up to 40	425 lbs
MSD23-2 2" Tape Head	39.5"L x 32.8"W x 80.3"H	6.0" - ∞"	4.25" - 20.0"	3.9" - 30.0"	25.8" - 30"	Up to 40	390 lbs
MSD23-3 3" Tape Head	39.5"L x 32.8"W x 80.3"H	6.0" - ∞"	5.25" - 20.0"	3.9" - 30.0"	25.8" - 30"	Up to 40	390 lbs
MSD32-2 2" Tape Head	39.5"L x 43.8"W x 70.3"H	6.0" - ∞"	4.25" - 30.0"	3.5" - 20.5"	23.5" - 30"	Up to 25	410 lbs
MSD33-2 2" Tape Head	39.5"L x 43.8"W x 70.3"H	6.0" - ∞"	5.25" - 30.0"	3.9" - 30.0"	25.8" - 30"	Up to 25	490 lbs
MSD32-3 3" Tape Head	39.5"L x 43.8"W x 70.3"H	6.0" - ∞"	5.25" - 30.0"	3.5" - 20.5"	23.5" - 30"	Up to 25	410 lbs
MSD33-3 3" Tape Head	39.5"L x 43.8"W x 80.3"H	6.0" - ∞"	5.25" - 30.0"	3.9" - 30.0"	25.8" - 30"	Up to 25	490 lbs

Please [contact Pro Pac](#) or call 888-318-0083 for your case sealing equipment.