



## Professional Packaging Systems

2010 S. Great Southwest Parkway  
Grand Prairie, Texas 75051  
[www.ProPac.com](http://www.ProPac.com)

## Contact

Our Packaging Experts  
[solutions@propac.com](mailto:solutions@propac.com)  
888-318-0083

# BestPack MSD-S Stainless Manual Side Drive Uniform Case Sealer



## At a Glance

- Side belt drive
- Food grade 304 stainless steel construction
- Four adjustable legs for height modification
- Exclusive 2 inch or 3 inch pop-out pressure-sensitive high-speed tape heads
- Telescopic mast design
- Up to 40 cases per minute

Buy your [case sealing tape](#) from Pro Pac, and get a discount on this BestPack case taper!

## Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

## Stainless Case Sealer for Wet Environments

The BestPack MSD-S stainless steel semi-automatic uniform case sealers are designed to seal cases in wet environments. Units are available for either splash resistant or wash-down applications.

BestPack case sealers incorporate pop out pressure sensitive high speed tape heads with patented tab adjustment, and the dual (telescopic) masts allow for an extra 4" carton height extension on the upper assembly.

All BestPack stainless steel sealers are made with food grade 304 stainless steel for 21 CFR 110 compliance and include food grade 304 stainless steel high-speed tape heads.

## Features

Heavy-duty 2mm food grade 304 stainless steel welded frame including upper welded legs.  
Side belt drive system with idler rollers behind the 1-piece die molded belts that also includes V-belt guide.

Accepts 2" and 3" pop-out food grade 304 stainless steel BestPack high speed tape heads.

Telescopic mast design with screw drive shafts and a unique 4 roller upper side compression unit.

Width/height adjustment handle can be mounted on either side of the carton sealer.

Electrical box is mounted on the left side of the sealer.

Adjustable bed height for: MSD22 & MSD32 – 23.5" to 30.0" MSD23 & MSD33 – 25.8" to 30.0".

Tape roll lengths: 1000 yd, 1500 yd, & 2000 yd.

Upper telescopic mast is tapped and drilled that can be raised (un-bolted, raised and re-bolted) for an

extra 4" carton height if needed.  
 Quality UL approved electrical parts.

## Options

Food grade 304 stainless steel long infeed/exit conveyor with L-bracket stabilizer  
 Food grade 304 stainless steel short infeed/exit conveyor with L-bracket stabilizer  
 Food grade 304 stainless steel heavy-duty dual locking casters  
 Spare parts kit  
 High-speed motor upgrade (up to 125 feet per minute)  
 3 flap folder  
 Aluminum frame interlock safety gates

## Power & Air

Power: 110 Volts, 60 Hz  
 Air: None

Please [contact Pro Pac](#) or call 888-318-0083 for your case sealing equipment.

## Specifications

Model	Machine Dimensions	Case Length	Case Width	Case Height	Conveyor Height	Cases per Minute	Shipping Weight
MSD22-2S 2" Tape Head	39.5"L 32.8"W 70.3"H	6.0" - ∞"	4.25" - 20.0"	3.5" - 20.5"	23.5" - 30.0"	Up to 40	360 lbs
MSD22-3S 3" Tape Head	39.5"L 32.8"W 70.3"H	6.0" - ∞"	5.25" - 20.0"	3.5" - 20.5"	23.5" - 30.0"	Up to 40	360 lbs
MSD23-2S 2" Tape Head	39.5"L 32.8"W 80.3"H	6.0" - ∞"	4.25" - 20.0"	3.9" - 30.0"	25.8" - 30.0"	Up to 40	411 lbs
MSD23-3S 3" Tape Head	39.5"L 32.8"W 80.3"H	6.0" - ∞"	5.25" - 20.0"	3.9" - 30.0"	25.8" - 30.0"	Up to 40	411 lbs
MSD23-2S 2" Tape Head	39.5"L 32.8"W 70.3"H	6.0" - ∞"	4.25" - 30.0"	3.5" - 20.5"	23.5" - 30.0"	Up to 25	432 lbs
MSD23-3S 3" Tape Head	39.5"L 43.8"W 70.3"H	6.0" - ∞"	5.25" - 30.0"	3.5" - 20.5"	23.5" - 30.0"	Up to 25	432 lbs

Please [contact Pro Pac](#) or call 888-318-0083 for your case sealing equipment.