



Professional Packaging Systems

2010 S. Great Southwest Parkway
Grand Prairie, Texas 75051
www.ProPac.com

Contact

Our Packaging Experts
solutions@propac.com
888-318-0083

Little David LD-7 Semi-Auto Uniform Case Sealer



At a Glance

- Very, very popular industry-standard case taper
- Low maintenance
- Quick changeover with single hand tightening adjustments
- UL listed
- Safe single mast design
- Interchangeable tape cartridges
- Heavy-duty steel construction
- Reliable operation

Buy your [case sealing tape](#) from Pro Pac, and get a discount on this Little David case taper!

Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

Very Popular in Many Facilities Across the Country

The LD-7 Case Sealer is an economical solution for businesses requiring a top and bottom case taper. This system is built to handle large runs of uniform cases or those applications that require infrequent case size changes with a small footprint.

Ideal for those seeking an alternative to expensive labor costs. The LD-7 also replaces the tedious task of hand taping cases and the use of unsafe machinery. This model requires very low maintenance and operates with single hand tightening adjustments.

This versatile machine has options available to allow for customization. These options include casters, leg adjustments, top squeezers and more.

Features

- Compact design allows for portability
- Plug in operation
- Minimal operator training required
- Sealed drive system
- CaseLocker ST tape cartridge requires no lubrication
- Continuous belt drive
- Up to 80' per minute (24.4 meters per minute)

Seals with pressure sensitive tape

Safe

UL listed

Single mast design allows clear access

Knife guard system of the CaseLocker ST tape cartridge exposes blade only when the rollers are depressed

Options

Casters

Available for 3" wide tape

Leg adjustments to accommodate various conveyor heights

High mast for box heights to 34" (864mm)

Front and rear solid or roller pack table

Top squeezers

Reliable Performance Warranty

1 year all components

2 year warranty for gear reducer and motor

3 year warranty for tape cartridge

(Moving and wear parts are not included, other restrictions may apply)

Please [contact Pro Pac](#) or call 888-318-0083 for your case sealing equipment.

Case Size Range

Model	Tape Width	Description	Case Length	Case Width	Case Height
LD-7 I	2"	Bottom Belt Drive	4.5" - ∞	4.5" - 20"	4.5" - 24"
LD-7 II	2"	High Mast Bottom Belt Drive	4.5" - ∞	4.5" - 20"	4.5" - 34"
LD-7 I	3"	Bottom Belt Drive	6" - ∞	6" - 23"	4.5" - 24"
LD-7 II	3"	High Mast Bottom Belt Drive	6" - ∞	6" - 23"	4.5" - 34"
LD-7W I	2"	Bottom Belt Drive Wide Box	7" - ∞	7" - 29.25"	4.5" - 24"
LD-7W II	2"	High Mast Bottom Belt Drive Wide Box	7" - ∞	7" - 29.25"	4.5" - 34"
LD-7W I	3"	Bottom Belt Drive Wide Box	7" - ∞	7" - 30.25"	4.5" - 24"
LD-7W II	3"	High Mast Bottom Belt Drive Wide Box	7" - ∞	7" - 30.25"	4.5" - 34"

LD-7 Specifications

Operating Speed	Continuous belt drive 80' per minute (24.4 m/min)
Power	Electrical: 115 - 220 Volts, 60 cycle, single phase (other voltages available)
Machine Dimensions	Width: 36.25" (92 cm) Depth: 31.25" (79 cm) Height: 57.5" (146 cm)
Machine Weight	Weight: 196.5 lbs (89 kg) uncrated

Please [contact Pro Pac](#) or call 888-318-0083 for your case sealing equipment.