

Professional Packaging Systems

2010 S. Great Southwest Parkway Grand Prairie, Texas 75051 www.ProPac.com

Contact

Our Packaging Experts solutions@propac.com 888-318-0083

Syntegon Pack 102 Horizontal Flow Wrapper



At a Glance

- Entry-level wrapper with wide product size range
- Standard in stainless steel for ease of cleaning and longer machine life
- Up to 150 packages per minute

Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

Ideal Packaging Machine for Small- and Mid-Range Applications

The Pack 102 is an entry-level horizontal flow wrapper with an output of up to 150 packages per minute, this machine is ideal for small and medium-sized businesses who are taking their first steps in automation or need a flow wrapper to run small batches.

Multi-Talented Machine for Nearly Any Application

Due to the Pack 102's extremely wide product size range, this wrapper is flexible enough to package small and flat to very large and tall products. It is suitable for nearly any industry, ranging from bakery, bars, biscuits, cookies and crackers, fresh produce, medical devices and more. Change over between different products is straight-forward and in many cases no change parts are required.

Benefits

Economic entry-level packaging machine for lower production volumes High quality packages

Standard in stainless steel for ease of cleaning and longer machine life

Easy to operate and requires virtually no routine maintenance

Professional training packages available

Free helpdesk support for troubleshooting

Extensive service technician network with fast responses to service requests

Made and serviced in the USA

Flowpack Styles

Pillow
Gusseted
Zig zag end cuts
Hole punch
Opening aids

Applications

The Pack 102 flow wrapper efficiently packages a diverse range of products, such as biscuits and bakery goods, confectionery, snacks, medical devices, prepared foods, hardware, consumer goods, and many more.

Options

Hole punch

Air gussetting device

Ziq zaq knife

Pack Feeder 2

No product/ no paper

Coder and mounting kits

Two way eye correction

Perforator collar to deflate packages

Auto open hot fin wheels

Air evacuation device

Gas flush provision

Chilled product guides

Offset pushers

Spare parts kit

2.5 or 4.0 m infeed conveyor

Remote start/ stop station

High product sensor

Please contact Pro Pac or call 888-318-0083 for your flow wrapping equipment.

Specifications

Product Dimensions	Length: 76 mm (3") - 457 mm (18") Width: 12 mm (0.5") - 250 mm (9.8") Height: 6 mm (0.23") - 100 mm (4.3")
Capacity	1-Up: Up to 90 bags/min 2-Up: Up to 150 bags/min Film Speed: Up to 30 m/min (1.181"/min)
Web Dimensions	Reel diameter: Max. 400 mm (15.7") Width: Max. 650 mm Weight: Max. 35 kg

Please contact Pro Pac or call 888-318-0083 for your flow wrapping equipment.