



Professional Packaging Systems

2010 S. Great Southwest Parkway
Grand Prairie, Texas 75051
www.ProPac.com

Contact

Our Packaging Experts
solutions@propac.com
888-318-0083

Volumetric Technologies Incline Series Fillers / Depositors



At a Glance

- Accurately fill very thick products
- Large product ports with an inclined product path
- Available in single or multiple head designs

Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

Accurately Fill Very Thick Products

Volumetric Technologies Incline Series fillers / depositors are capable of filling thick products with very low levels of product degradation. Using the same construction and features as their other piston fillers and depositors, these Incline Series fillers / depositors are used for the toughest applications.

Volumetric Technologies Incline Series fillers / depositors combine innovative features to deliver the fastest speeds with excellent fill accuracy. These Incline Series fillers / depositors feature large product ports with an inclined product path, which guarantee the lowest level of product degradation while being able to pump the thickest products. Industry-leading piston fillers / depositors are constructed using 316L stainless steel and top-quality USDA approved materials.

Available in single or multiple head designs, these Incline Series fillers / depositors are ideal for manual or automatic operation. Seamlessly integrate this equipment with auxiliary packaging equipment such as vertical form fill and seal machines, horizontal form fill and seal machines, thermoform machines, bottling lines, and cup machines to form a complete packaging system.

Equip our piston fillers / depositors with a choice of over 100 standard and custom industry-leading dispensing nozzles for the perfect solution to your application's needs.

Features

Extremely accurate up to +/- .25 of 1%
Single or multiple head designs

- Lowest level of product degradation
- Most gentle on shear sensitive product
- Ability to pump the thickest products
- Built to last in the toughest environments
- Quick tool-free assembly and disassembly
- Product contact surfaces constructed from 316L stainless steel and USDA approved materials
- Safety guarding
- Adjustable speed controls
- Rotary actuator valve drive assembly
- Customizable for any application

Options

- Dispensing nozzles
- PLC control and operator interface
- Tubular machine frame, fixed and adjustable height options
- Hopper product level control system
- Hopper lid
- Agitated Hopper
- Water jacketed hopper
- Stationary nozzle rack
- Linear traveling carriage nozzle rack
- Diving carriage nozzle rack
- Walking beam nozzle rack
- Sand blasted solid stainless steel frame
- Servo-actuated drive assembly
- Integrated with automatic filling lines and auxiliary packaging equipment

Specifications

- Power Requirements: Air (Electric optional)
- Fill Volume: 3 ounces – 133 ounces
- Speed: Up to 100 cycles per minute
- Particulate Size: Up to 2" diameter
- Wash Down: Full wash down

Please [contact Pro Pac](#) or call 888-318-0083 for your liquid filling equipment.