



Professional Packaging Systems

2010 S. Great Southwest Parkway
Grand Prairie, Texas 75051
www.ProPac.com

Contact

Our Packaging Experts
solutions@propac.com
888-318-0083

Matrix Pacraft TT-8D-N Pre-Made Pouching System



At a Glance

- Designed to run a variety of dry and frozen food products
- Max speed 55 ppm
- User-friendly protocols and controls

Pricing

Call us at **888-318-0083**

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

Automatically Fill a Variety of Frozen and Dry Food Products

The highly-flexible Matrix Pacraft TT-8D-N is designed for a variety of pouch formats and food products.

This pouching system handles a variety of pouch formats including flat, stand-up, and press-to-close pouch styles.

This pre-made pouch filler and sealer is designed for products such as frozen foods, seafood, snacks, rice, grains, noodles, pet foods, granular, powder products, and many more.

Options for this machine include a product feeding hopper, product discharge conveyor, pouch opening follow-up guide, product counter, heater disconnection alarm, and pouch opening detection device, and others.

Features

- Flexible pouch formats
- Easy clean and wash-down style
- User friendly operation
- Touch screen controls
- Safety guarding (fully enclosed)
- Small footprint

Common Applications

Frozen foods
Seafood
Snacks
Rice & other grains
Noodles
Pet food
Granular & powder

Options

Date printer
Deflator
Tapping
Nitrogen gas flush device
Zipper close device
Zipper open device
Fill pause mode
Seal area cleaning
Pouch recycle
Double pouch detection
Various filling devices
Product in-seal detection
Stand-up pouch bottom opening device
Pouch pick-up position detection

Typical Stations

One	Pouch magazine, conveyor
Two	Printing, labeling
Three	Pouch opening
Four	Pouch filling
Five	Nitrogen flush
Six	Reject
Seven	Heat sealing
Eight	Cooling, discharge

Specifications

Cycle Speed	Up to 55 bpm
Pouch Width	4.72" - 10.24" (120 - 260 mm)
Pouch Length	5.12" - 15.75" (130 - 400 mm)
Pouch Material	PE and various laminates
Pouch Style	Flat, stand-up and press-to-close zipper
Sealing	1 heat seal and 1 cooling station
Electrical	4.5 kw
Air	0.5 MPa (72 psi), 350 - 450 NL/min
Machine Dimensions	70.87"W x 98.70"L x 80.31"H (1800W x 2507L x 2040H mm)
Machine Weight	3748 lbs (1700 kg)

Please [contact Pro Pac](#) or call 888-318-0083 for your pouching equipment.