



Professional Packaging Systems

2010 S. Great Southwest Parkway
Grand Prairie, Texas 75051
www.ProPac.com

Contact

Our Packaging Experts
solutions@propac.com
888-318-0083

Markem-Imaje SmartLase C350HD+ Laser Printers



At a Glance

- Produce high-contrast codes on wide print areas typical for stick packs
- 0° or 90° scan head orientation available to put text anywhere
- Single point of control for multiple head configurations

Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

High-Contrast Codes on Wide Print Areas for Stick Packs

The Markem-Imaje SmartLase C350 HD and HD Plus industrial laser printers are designed to produce high-contrast codes on wide print areas typical for stick packs, multi-lane and matrix applications.

The SmartLase C350HD+ is designed specifically for manufacturers of single serving, mix and go stick packs. This reliable, cost-effective and energy efficient solution for wide web coding and scoring delivers the performance you expect from Markem-Imaje, easily achieving a print rate of up to 60 strokes/minute even in dusty environments.

Excellent Efficiency

Print High Definition (HD) Codes on Wide Print Area Use two 30-watt lasers to print 670 mm wide web or three to print 1005 mm wide web. Single point of control (2 or more lasers can be controlled via CoLOS or dedicated controller) for multiple head configurations.

Designed for OEM Integration Qualified on multi-lane sticks packaging machines (Mespack, Toyo, Schmucker). Advanced head mount and extraction kits available.

Flexibility to Put the Code Where You Need It With 0° or 90° scan head orientation options available you can put your text anywhere, in any orientation unlike traversing solutions.

High-Quality Coding

Clean and Safe Solutions Dedicated fume extraction system for a cleaner, healthier, safer, odorless working environment.

High-Quality Codes 30% Faster Patented SmartLase Code Technology with Intelli'Arc scribing, codes 30% faster than conventional vector lasers.

Reduce Film Inventory with Late Stage Customization Last minute customization possible (weight, promotion, etc.) helping to reduce foil inventory.

Lower Total Cost of Ownership (TCO)

Expedite Adjustments and Cut Changeover Times and Waste SmartLase comes standard with built-in aiming diode making it one of the most user-friendly lasers in its class.

Do More with Less Coding and scoring is possible with our laser and could replace costly mechanical knife and blade solutions.

Industry Leading Reliability 99.9 % uptime with unique Intelli'Cool system prevents overheating at high duty cycles, minimizing line stoppages and downtime, and provides an industry leading MTBF of 60,000 hours.

Print Features

2 laser solution: print up to 10 lanes at 60 strokes/min (600 ppm).

3 laser solution: print up to 15 lanes at 60 strokes/min (720 ppm).

Available in 10.2 μm and 10.6 μm wavelengths.

Easy configuration for 0° or 90° scan head orientation.

Large marking fields to minimize the number of printheads per line: - One machine covers a print area width of 335 mm - Two machines covers a print area width of 670 mm - Three machines covers a print area width of 1005 mm

Number of text lines: limited only by character height and allowable print area.

Character height: from 1 to 335 mm.

Choice of characters: Chinese, Latin and Unicode fonts.

Wide selection of languages: Arabic, Bosnian, Brazilian Portuguese, Bulgarian, Chinese, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Romanian, Russian, Serbian, Slovenian, Spanish, Swedish, Turkish.

Operations

Safety compliance standard with 2006/42/CE and ISO 13849:2008 (Category 3; PLd (Performance Level D, UL listed).

Possibility of remote data management.

Quick and easy head swap with single connector.

Operating temperature range: 5 to 40°C (41 to 104°F).

7" WYSIWYG color touch screen, QWERTY or AZERTY virtual keyboard, navigation via icons including on-line help file.

Message storage capacity of 500 jobs.

Upload and download of messages via USB flash drive.

Quick connect/disconnect of laser head and accessories (photocell, encoder, alarm).

Standard I/O: Ethernet interface, serial, USB, encoder, sensor, extractor controls, alarms, remote interlocks (dual channels).

Other Characteristics

3 separate modules: controller, laser head and optional user interface.

Controller weight: 10.2 kg - User interface weight: 2.1 kg - Laser printhead weight: 18.5 kg.

Dust/humidity protection: IP55 or IP65 laser head, IP54 controller and IP54 user interface.

Visible aiming diode is standard on all lasers.

Electrical power supply: 100-240 V with automatic switching - Frequency: 50/60 Hz - C350 Power consumption 7 A; 700 VA.

Accessories

Remote user interface.

IP65 laser head (requires using external air cooler such as FS400).

Optional 90° printhead cable adaptor.

Laser head to controller umbilical cable: 6m standard; 3m and 9m options available.

Industrial interface option board: RS-232/422 connectivity, 20 configurable operator I/O (12 inputs / 8 outputs), 2 voltage free relays, USB (for optional scanners).

Extraction solutions available: ES500+ (<600 ppm) for single head application and ES1000+ for more heads (< 1200 ppm).

Stand (controller, laser head and user interface), guarding tunnel, photocell, encoder, alarm beacon.

Advanced head mount and extraction kits available for stick packs machines.

Software

Web user interface provided as standard

Included, CoLOS Message Design for design of simple messages compatible with CoLOS Line and CoLOS Factory

Material Types

Tires

Tetrapak bricks

Seal wrappers

Seal bags

Power cables

Pouches

Plastic films

Pipes

Jars

Hoses

Decorative labels

Customized packages

Containers

Caps

Cables

Bulbs

Bottles

Industries

Soft drinks

Snack food
Pharmaceuticals
Pet food
Personal care
Oil and gas
Industrial components
Food
Extrusion
Electronics
Dairy
Cosmetics
Confectionery
Beverage
Beer & cider

Please [contact Pro Pac](#) or call 888-318-0083 for your printing and date-coding equipment.