



Professional Packaging Systems

2010 S. Great Southwest Parkway
Grand Prairie, Texas 75051
www.ProPac.com

Contact

Our Packaging Experts
solutions@propac.com
888-318-0083

OK Supersealer MBS20 Medical Band Sealer



At a Glance

- Hot air sealer meets FDA guidelines for medical packaging
- Seals medical packaging materials including plastic, Tyvek, mylar, PET, coated Tyvek, laminated foil, and metalized foil bags
- State of the art process controls
- See all variables of the machine at all times, both set and actual

Buy your [stand-up pouches and bags](#) from us, and get a discount on this OK band sealer!

Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

Hermetically Seal Bags for Medical Products

The OK Supersealer MBS20 medical band sealer is a rotary band sealer designed to meet ANSI/AAMI/ASTM/ISO11607-2/ISO13485/ISO9001 and EN 868 standard requirements for the medical industry. The Supersealer MBS20 medical continuously seals a wide range of medical packaging materials including plastic, Tyvek, Mylar, PET, coated Tyvek, paper, laminated materials and metalized foil pouches/bags.

Now specializing in UDI Coders to meet FDA Compliance Dates.

The stainless steel construction, advanced band sealing technology, and state of the art process controls of the Supersealer ensure continuous reliable performance in demanding bagging production lines.

Features & Benefits

Small Footprint: Use less floorspace

Band Sealing Technology: Band supports pouch/bag through sealing process, sealing multiple materials consistently

Variable Speed: Ease of matching conveyor speed for flexibility

Closed Loop Temperature Control: Accurate and consistent sealing temperature

Touch Panel Monitor: See all variables of the machine at all times, both set and actual

Recipes in PLC: Bag changeover made simple with easy-to-use menu

Easy Lift Cover: Easy access no-tool band change

Motorized Pedestal: Height adjustment with a button simplifies multiple bag size sealing runs

Plugs into Any Wall Plug: Minimal utility requirements

Packaging of Terminally Sterilized Medical Devices: Meets ANSI/AAMI/ASTM, ISO 11607-2, ISO 13485, ISO 9001 and EN 868 standards for compliance

Specifications

Stainless Steel Finish: Clean and durable

Bag/Pouch Material: Heat seal up to 24 mil

Belt Speed: Up to 65 ft/min (20 m/min), other speeds upon request

Seal Width: 5/16" (8mm), optional 3/4" (19.05mm)"

Machine handing: Right to left or left to right

Power Requirements: 110 VAC, 1 Ph, 60 Hz, 10 Amp. 220 VAC, 1 Ph, 50 Hz, 7 Amp. CE Marked

Pneumatic: 80-100 psi clean dry air

PLC Control: Touch screen

Options

Bag Top Trimmer: Stationary blade and rotary blade trimmer meet all application requirements

Bag Trim Remover: Standard trim remover can remove up to 3" of trim; other widths of trim optional

UDI Coders: Meets FDA compliance dates and GS1 initiative

Please [contact Pro Pac](#) or call 888-318-0083 for your bag sealing equipment.