



Professional Packaging Systems

2010 S. Great Southwest Parkway
Grand Prairie, Texas 75051
www.ProPac.com

Contact

Our Packaging Experts
solutions@propac.com
888-318-0083

Rennco 301 Vertical L-Bar Sealer



At a Glance

- Ideal for bagging cylindrical products
- Bags up to a 18 x 24 inches
- Up to 30 bags per minute

Buy your [film](#) from us, and get a discount on this Rennco system!

Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

Quickly Bag Cylindrical Products

The Rennco 301 Vertical L-Bar Sealer provides substantial film and cost savings on bagging cylindrical and other products that are longer than they are wide.

The Rennco 301 is ideal for packaging products in bags up to a 18" x 24".

The 301 is a versatile, easy-to-operate bagger that includes a user-friendly HMI screen for simple product changeover. With a wide range of available options, the Rennco 301 Vertical L Bar packager is an excellent solution to package your products in centerfolded roll stock material rather than high-cost pre-made bags.

All Rennco Vertical L Bar Sealers are equipped with a constantly-heated, coated seal bar sealing assembly for smokeless, odorless sealing. This unique sealing system seals polyethylene and polyolefin films without change parts allowing customers the flexibility to use both films.

Benefits

- Up to 30 bags per minute
- Versatile packager for medium sized products up to 18" x 24"
- Easy to operate with quick, easy changeover
- Significant material cost savings over pre-made bags
- User-friendly HMI including programmable changeover
- Easily interfaced with infeed systems
- Wide range of available options

Features

Constant heat coated seal system
Uptime seal jaw
Tool-less film guides
Leg and height adjustments
Casters
Light screen cycling mechanism and perimeter interlocked guarding
Trim wind up

Example Products

Hardware kits
Water bottles
Tissue paper
Air fresheners
Puzzle pieces
Paint rollers
Medical products
Drink mugs
Pipettes
License plates
Lids
Cups
Produce

Options

Bucket horizontal conveyor
Bucket incline conveyor
Tri bar seal system
Low energy seal system
Adjustable jaw opening
Multiple control platforms
Jaw guards
Pin perforator
Electric eye film registration
Header sealer
Static eliminator
Film cart
Powered film cradle
Trim break detection eye
Large trim wind up
Spare assemblies & parts kits
Servo film feed
Easy open perforator
Single 1/4" hole punch
Oblong hole punch
Pick & place removal system
Transformer
12" discharge conveyor

18" discharge conveyor
Bag release for lightweight product

Please [contact Pro Pac](#) or call 888-318-0083 for your bagging equipment.

Specifications

Machine foot print	63.125"W x 69"L x 73"H (89" top of light tower)
Standard vertical seal	14"
Standard horizontal seal	24"
Standard jaw opening	9.75"
Electrical requirements	240 v, 60 HZ, 3 ph, 15 amps*
Air requirements	.16 CFM per machine cycle at 80 PSI**

*Special electrics available upon request **CFM will vary depending on added options