



## Professional Packaging Systems

2010 S. Great Southwest Parkway  
Grand Prairie, Texas 75051  
[www.ProPac.com](http://www.ProPac.com)

## Contact

Our Packaging Experts  
[solutions@propac.com](mailto:solutions@propac.com)  
888-318-0083

# Rennco 301 Vertical L-Bar Sealer



## At a Glance

- Ideal for bagging cylindrical products
- Bags up to a 18 x 24 inches
- Up to 30 bags per minute

## Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

## Quickly Bag Cylindrical Products

The Rennco 301 Vertical L-Bar Sealer provides substantial film and cost savings on bagging cylindrical and other products that are longer than they are wide.

The Rennco 301 is ideal for packaging products in bags up to a 18" x 24".

The 301 is a versatile, easy-to-operate bagger that includes a user-friendly HMI screen for simple product changeover. With a wide range of available options, the Rennco 301 Vertical L Bar packager is an excellent solution to package your products in centerfolded roll stock material rather than high-cost pre-made bags.

All Rennco Vertical L Bar Sealers are equipped with a constantly-heated, coated seal bar sealing assembly for smokeless, odorless sealing. This unique sealing system seals polyethylene and polyolefin films without change parts allowing customers the flexibility to use both films.

## Benefits

- Up to 30 bags per minute
- Versatile packager for medium sized products up to 18" x 24"
- Easy to operate with quick, easy changeover
- Significant material cost savings over pre-made bags
- User-friendly HMI including programmable changeover
- Easily interfaced with infeed systems
- Wide range of available options

## Features

Constant heat coated seal system  
Uptime seal jaw  
Tool-less film guides  
Leg and height adjustments  
Casters  
Light screen cycling mechanism and perimeter interlocked guarding  
Trim wind up

## Example Products

Hardware kits  
Water bottles  
Tissue paper  
Air fresheners  
Puzzle pieces  
Paint rollers  
Medical products  
Drink mugs  
Pipettes  
License plates  
Lids  
Cups  
Produce

## Options

Bucket horizontal conveyor  
Bucket incline conveyor  
Tri bar seal system  
Low energy seal system  
Adjustable jaw opening  
Multiple control platforms  
Jaw guards  
Pin perforator  
Electric eye film registration  
Header sealer  
Static eliminator  
Film cart  
Powered film cradle  
Trim break detection eye  
Large trim wind up  
Spare assemblies & parts kits  
Servo film feed  
Easy open perforator  
Single 1/4" hole punch  
Oblong hole punch  
Pick & place removal system

Transformer  
12" discharge conveyor  
18" discharge conveyor  
Bag release for lightweight product

Please [contact Pro Pac](#) or call 888-318-0083 for your bagging equipment.

## Specifications

Machine foot print	63.125"W x 69"L x 73"H (89" top of light tower)
Standard vertical seal	14"
Standard horizontal seal	24"
Standard jaw opening	9.75"
Electrical requirements	240 v, 60 HZ, 3 ph, 15 amps*
Air requirements	.16 CFM per machine cycle at 80 PSI**

\*Special electrics available upon request \*\*CFM will vary depending on added options