



## Professional Packaging Systems

2010 S. Great Southwest Parkway  
Grand Prairie, Texas 75051  
[www.ProPac.com](http://www.ProPac.com)

## Contact

Our Packaging Experts  
[solutions@propac.com](mailto:solutions@propac.com)  
888-318-0083

# Arpac Vision Shrink Wrap Tunnel



## At a Glance

- Well-insulated shrink tunnel with viewing window and lighted chamber
- Variable speed conveyor system
- Consistently controlled shrink chamber temperature

Buy your [shrink bundling film](#) from Pro Pac, and get a discount on this Arpac shrink tunnel!

## Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

## Shrink Tunnel with Viewing Window and Illuminated Chamber

Arpac Vision shrink tunnels feature a mesh belt conveyor designed to produce high-quality shrink packages for retail display. A variety of standard features offer trouble-free, reliable operation: a large viewing window with an illuminated shrink chamber, double insulation to ensure consistent shrinkage, and energy efficiency.

This well-insulated shrink tunnel offers variable upper and lower air velocity controls, a variable speed conveyor system and a consistently controlled shrink chamber temperature. The shrink chamber utilizes convection heating instead of a recirculating style heat system. The positive temperature control and the swirling effect of the air velocity from the (vane) fan blades ensures uniform shrinkage.

The Arpac Vision shrink tunnel is manufactured in the USA in accordance with Arpac's Lean Manufacturing Process (AM2) to ensure quality, performance and value.

## Features

- Compact welded steel frame with laser cut components
- Powder coat finish provides a durable scratch resistant surface that prevents corrosion
- Operator side viewing window with illuminated shrink chamber
- Double insulated shrink chamber offers maximum energy efficiency with minimal heat loss
- Convection style heating system provides consistent shrink wrapping
- Variable upper and lower air velocity controls
- Top and bottom Calrod heating elements
- Simple operator controls
- Variable speed conveyor provides flexibility with uniform shrinkage
- All-belt options allow hot air to reach all surfaces on the package, producing uniform shrinkage

Thermocouple temperature control for precise measurement  
 Circuit breaker protected components  
 72" tunnel has 6 heat zones for high speed applications  
 Standard casters mounted with leveling legs for machine portability  
 Optional stainless steel mesh belt or roller belt

## Options

Optional 480V conversion with step down transformer  
 72" tunnel has 6 heat zones for high speed applications  
 Optional stainless steel mesh belt or roller belt

## Example Applications

Automotive  
 Beverage  
 Building supplies  
 Consumer goods  
 Contract packaging  
 Food  
 Health & beauty  
 Material handling  
 Printing & publishing

## Film Types

Polyolefin  
 Polyethylene  
 PVC

## Specifications of Arpac Vision Shrink Tunnels

Model	Total Length	Tunnel Chamber	Conveyor Width	Max Speed	Upper Fans	Lower Fans	Standard Voltage
VT122248	72"	48"L x 24.75"W x 12"H	22"	90 FPM	1	2	230V 56A/1Ph 32A/3Ph
VT122272	96"	72"L x 24.75"W x 12"H	22"	90 FPM	3	3	230V 67A/3Ph

Please [contact Pro Pac](#) or call 888-318-0083 for your shrink bundling equipment.