

Professional Packaging Systems

2010 S. Great Southwest Parkway Grand Prairie, Texas 75051 www.ProPac.com

Contact

Our Packaging Experts solutions@propac.com 888-318-0083

Eastey Performance Series Shrink Bundling Tunnels



At a Glance

- All-welded main frame from 12 gauge steel
- Sealed bearings (not bushings) on drive and idler shafts
- Adjustable digital solid state temperature control
- 39 inch chamber length
- Heavy-duty industrial design and construction for trouble-free service and long life
- Made in the USA

Buy your shrink bundling film from us, and get a discount on this Eastey shrink tunnel!

Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

Rugged Shrink Bundling Tunnels at Lower Prices

Proven reliable over and over again, these Eastey bundling tunnels provide you with all the quality features found in much higher-priced machines. They are designed and built to give you all the features needed for positive shrinking of polyethylene film.

Eastey's top-of-the-line bundling tunnels are expertly welded on 12 gauge steel frames and designed to handle the day-to-day abuse of most bundling applications. Each tunnel utilizes four-directional variable air flow to provide a positive shrink.

Models

ETB3012, ETB3020

Standard Features

Designed to seal polyethylene film

All-welded main frame from 12 gauge steel

39" chamber length to ensure proper shrinking of film

Dead roller conveyor

Sealed bearings (not bushings) on drive and idler shafts

Adjustable digital solid state temperature control for a variety of films

Four-directional air flow provides positive shrinking

Variable air flow for a variety of products and applications

Large ducting creates more air volume inside tunnel

Optional side plates (top and sides) for air flow patterning and quick changeover for different products

Delayed cool down and over temperature protection

Heavy duty casters for transportation within plant

Leveling legs provide sturdy base once in place

Custom two part epoxy finish resists scratching

Available in 220v, single or 3-phase

Easy to use design requires minimal training, maintenance, and trouble free operation

Made in the USA

Please contact Pro Pac or call 888-318-0083 for your shrink bundling equipment.

Specifications of the Eastey Performacne Series Shrink Bundling Tunnels

Model	Machine Dimensions			Chamber Dimensions			Conveyor	Standard Power			Weight	Ship Wt.
	Width	Height	Length	Width	Height	Length	Length	Volts	Amps	Phase		
ETB3012	45" (114cm)	67" (170cm)	59" (149cm)	30" (76cm)	12" (30cm)	39" (99cm)	59" (149cm)	220	25/50	1/3	1200 lbs (544 kg)	1300 lbs (589 kg)
ETB3020	45" (114cm)	75" (190cm)	59" (149cm)	30" (76cm)	20" (50cm)	39" (99cm)	59" (149cm)	220	25/50	1/3	1250 lbs (567 kg)	1350 lbs (612 kg)