



Professional Packaging Systems

2010 S. Great Southwest Parkway
Grand Prairie, Texas 75051
www.ProPac.com

Contact

Our Packaging Experts
solutions@propac.com
888-318-0083

Eastey Performance Series Shrink Bundling Tunnels



At a Glance

- All-welded main frame from 12 gauge steel
- Sealed bearings (not bushings) on drive and idler shafts
- Adjustable digital solid state temperature control
- 39 inch chamber length
- Heavy-duty industrial design and construction for trouble-free service and long life
- Made in the USA

Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

Rugged Shrink Bundling Tunnels at Lower Prices

Proven reliable over and over again, these Eastey bundling tunnels provide you with all the quality features found in much higher-priced machines. They are designed and built to give you all the features needed for positive shrinking of polyethylene film.

Eastey's top-of-the-line bundling tunnels are expertly welded on 12 gauge steel frames and designed to handle the day-to-day abuse of most bundling applications. Each tunnel utilizes four-directional variable air flow to provide a positive shrink.

Models

ETB3012, ETB3020

Standard Features

- Designed to seal polyethylene film
- All-welded main frame from 12 gauge steel
- 39" chamber length to ensure proper shrinking of film
- Dead roller conveyor
- Sealed bearings (not bushings) on drive and idler shafts
- Adjustable digital solid state temperature control for a variety of films
- Four-directional air flow provides positive shrinking

Variable air flow for a variety of products and applications
Large ducting creates more air volume inside tunnel
Optional side plates (top and sides) for air flow patterning and quick changeover for different products
Delayed cool down and over temperature protection
Heavy duty casters for transportation within plant
Leveling legs provide sturdy base once in place
Custom two part epoxy finish resists scratching
Available in 220v, single or 3-phase
Easy to use design requires minimal training, maintenance, and trouble free operation
Made in the USA

Please [contact Pro Pac](#) or call 888-318-0083 for your shrink bundling equipment.

Specifications of the Eastey Performacne Series Shrink Bundling Tunnels

Model	Machine Dimensions			Chamber Dimensions			Conveyor	Standard Power			Weight	Ship Wt.
	Width	Height	Length	Width	Height	Length		Volts	Amps	Phase		
ETB3012	45"	67"	59"	30"	12"	39"	59"	220	25/50	1/3	1200	1300
	(114cm)	(170cm)	(149cm)	(76cm)	(30cm)	(99cm)	(149cm)				lbs (544 kg)	lbs (589 kg)
ETB3020	45"	75"	59"	30"	20"	39"	59"	220	25/50	1/3	1250	1350
	(114cm)	(190cm)	(149cm)	(76cm)	(50cm)	(99cm)	(149cm)				lbs (567 kg)	lbs (612 kg)