



## Professional Packaging Systems

2010 S. Great Southwest Parkway  
Grand Prairie, Texas 75051  
[www.ProPac.com](http://www.ProPac.com)

## Contact

Our Packaging Experts  
[solutions@propac.com](mailto:solutions@propac.com)  
888-318-0083

# Robopac Sotemapack Automatic Spiror BW Horizontal Stretch Wrappers

## At a Glance

- Orbital stretch wrapping for full 4-sided product coverage
- Rotation speed range: 35 to 75 RPM
- Ideal for flat materials and construction panels

## Pricing

Call us at **888-318-0083**

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.



## Full Coverage Stretch Wrapping for Oversized and Panelized Products

Robopac Sotemapack Spiror BW Series of high-performance automatic horizontal (orbital) stretch wrappers provide four-sided wrapping for long, flat, or oversized loads.

With rotation speeds ranging from 35 to 75 RPM, these stretch wrappers deliver secure, consistent wraps at high throughput.

Ideal for products like insulated metal panels, plaster boards, roof sheets, fencing panels, and other bulky items, Robopac Spiror BW stretch wrappers offers a reliable solution for challenging applications in construction, manufacturing, and industrial packaging.

**Spiror BW 1400 / 1800** Ideal ring size to wrap doors, windows, mirrors, shutters, small kitchen cabinets, sliding doors, and insulated panels.

**Spiror BW 2200 / 2600 / 3500** Ideal ring size to wrap insulated metal panels, plaster boards, roof sheets, garden fencing, wooden panels, and other oversized loads.

## Features

Enhance product protection, minimize manual handling, and increase your packaging rates.

- Orbital stretch wrapping for full 4-sided product coverage

- Rotation speed range: 35 to 75 RPM
- Designed for oversized and irregular-shaped loads
- Fully automatic operation for high productivity
- Ideal for flat materials and construction panels

## Options

### Skids Insertion Units

- Slat insertion system for greater product stability during wrapping
- Suitable for polystyrene and/or wooden laths
- Horizontal and/or vertical batten storage

### MPS System

- Mechanical pre-stretch system
- Max foil pre-stretching
- Level from 100% up to 304%
- Change format available

### Vario Stretch System

- Variable electronic pre-stretching
- Roll unwinding control by motor with excess film recovery function
- Variable electronic clamping force
- Single- or dual- motor motorized roping
- Unit programmable by control panel
- Pre-stretching up to 300%

Please [contact Pro Pac](#) or call 888-318-0083 for your stretch wrapping equipment.

## Machine Details

	Spiror 1800	Spiror 2200	Spiror 2600	Spiror 3500
Ring Diameter	1800 / 71	2200 / 87	2600 / 103	3500 / 138
RPM	55	45	35	35
Machine Height	2285 mm	2900 mm	3185 mm	3920 mm
Machine Width	2986 mm	3210 mm	3504 mm	4370 mm
Machine Length	2160 mm	2160 mm	2160 mm	2160 mm

# Specifications

## Utility Requirements

Electrical 480V, 3Ph, 50/60Hz

Air 6+/- bar, 150 NL

## Stretch Film

Roll Width 250-500 mm / 10-20"

Max Roll Diameter 250 mm / 10"

Core Width 3"

Film Thickness 17-35 mm

Please [contact Pro Pac](#) or call 888-318-0083 for your stretch wrapping equipment.