

Professional Packaging Systems

2010 S. Great Southwest Parkway Grand Prairie, Texas 75051 www.ProPac.com

Contact

Our Packaging Experts solutions@propac.com

Sealed Air Bubble Wrap Universal Inflation System



At a Glance

- Single system produces inflatable cushioning, pouches, and air pillows
- Ready to use on day one, easy to operate
- Range of accessories and mounting options

Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

Single System Produces Variety of On-Demand Inflatable Materials

The Sealed Air Bubble Wrap Universal Inflation System is the inflator that will immediately optimize labor, meet growing and changing business needs, reduce packing errors, and increase operational efficiency.

This all-in-one system gives you the power to choose between a range of Bubble Wrap brand materials such as inflatable cushioning, pouches, and air pillows with a single piece of equipment.

Optimize Labor Resources

Ready to use on day one, this plug-and-play system is easy to operate and integrates with your current operation to start inflating immediately. The simple user interface gives operators the confidence to use the system with little to no training. Preventive maintenance alerts will also notify you when it's time to service your machine.

Highly Versatile

This universal inflation system runs over 80 types of materials for void fill, cushioning, or wrapping applications. With only one piece of equipment, you can effortlessly switch from one material type to another based on your needs.

The combination of its small footprint and variety of accessories allows this system to be used in a broad range of markets and packing environments, from ship-from-store to e-commerce fulfillment

centers. The system can be mounted in multiple ways to save space: table-top, floor stand with winder, and wall mount options are available.

Error Free with Smart Technology

By simply placing a new roll of film on the machine, smart technology automatically detects and configures the machine to the right seal temperature, airflow, and pressure based on the material loaded, eliminating the need for operator programming. Smart technology alleviates the need for operator interaction and reduces the risk of operator error, which helps with quality control and mitigates consumer complaints.

Increase Operational Efficiency

Reduce downtime with a reliable system made for maximum throughput. The Bubble Wrap brand universal inflation system produces cushioning at speeds up to 80 linear feet per minute. Faster inflation of packaging materials makes your packers more efficient, fulfillment lines more productive, and gets more packs out the door on time.

Compact and Lightweight

This Sealed Air inflation system requires 52% less space than other on-demand inflation systems, allowing for an easier fit in work cells where space is premium. It's also 53% lighter and up to 20% quieter than other competitive systems.

Operator Safety Features

This system does not use any knives in its inflation process and has an industry-leading emergency stop feature for operator protection and safety. The universal inflation system is CSA, CE, PSE, and FCC certified.

Related Materials

Bubble Wrap Brand Pouches

Inflatable Bubble Wrap brand pouches on demand for superior product protection.

Inflatable Air Pillows

Prevent items from shifting, bruising, or breaking during transit with inflatable air pillows.

Inflatable Light Cushioning

Buble Wrap brand inflatable light cushioning protects durable items during shipment.

Features & Benefits

Produces inflatable packaging at speeds up to 80 ft per minute.

Inflates over 80 types of Bubble Wrap brand materials including cushioning, pouches, and air pillows.

No programming required — smart technology automatically detects and configures the machine to the right seal temperature, airflow, and pressure based on the material loaded.

Effortlessly switch from one material type to another based on your needs.

No training required — automatic configuration alleviates the need for operator interaction and reduces the risk of operator error.

Ideal for a broad range of markets and packing environments.

Supports a wide range of accessories and mounting options to save space and optimize your pack station.

No knives, plus an emergency stop feature for operator safety.

Mounting Options

Table-top
Floor stand
Floor stand with winder
Wall mount

Accessories

Foot switch
Overhead inflatable dispenser
Auto bin loading
Inflatable material insertion system

Specifications

Electrical Input: 110V to 240V VAC, 50/60 Hz - Consumption: 1800 Watts (VA) max

Air: 5 CFM/80 psi of clean, dry air

Dimensions (w/o accessories): 17.125" L x 14.125" W x 14.5"H

Weight: 28 lbs

Please contact Pro Pac or call 888-318-0083 for your protective packaging equipment.