

Professional Packaging Systems

2010 S. Great Southwest Parkway Grand Prairie, Texas 75051 www.ProPac.com Contact

Our Packaging Experts solutions@propac.com 888-318-0083

Sealed Air Instapak SpeedyPacker Insight System



At a Glance

- Delivers on-demand expanding packing foam to highvolume packaging operations
- Over 15 different packaging foam formulations to create the precise type of protection for your products
- Up to 21 Instapak foam-filled cushions per minute

Pricing

Call us at 888-318-0083

Many options are available. Complete details will need to be finalized to determine requirements and final system costs. Work with your Pro Pac representative to build this machine to your specifications.

High-Volume On-Demand Product Protection

The Sealed Air Instapak SpeedyPacker Insight system delivers on-demand expanding packing foam to high-volume packaging operations for quick, cost-effective product protection. The on-demand foam machine includes a versatile industrial-grade touch screen display that lets the operator select the optimum bag size and foam combinations for fast, secure protection for a wide variety of items. Each custom-shaped cushion absorbs bumps and bruises during the shipping process.

Damage Reduction

Nothing matches the superior protection of Instapak engineered foam cushions. Choose from over 15 different packaging foam formulations to create the precise type of protection your products require. Barcode scanning and helpful how-to resources ensure your products are packaged the optimal way, every time.

Cube Optimization

Efficient Instapak foam reduces pack size and dimensional weight without sacrificing packaging performance. Continuous Foam Tubes (CFTs) are convenient and may further reduce material usage.

Fulfillment Velocity

With up to 21 Instapak foam-filled cushions per minute, the SpeedyPacker Insight system can easily keep up with the highest throughput operations. Further operator efficiency is achieved using Quick Select Buttons, allowing quick cushion initiation and easy access when two operators for one system are necessary.

Customer Experience

Instapak foam cushions present a clean, no-mess appearance to your customers. Your products arrive as intended, and the material can easily be disposed or reused for return shipments, with no quality loss.

Simple Film Loading

Loading a new roll of film has never been easier, as the film-loading cradle allows the operator to load film from a more natural height. The drop-in-and-load design simplifies alignment.

Take Control of Your Operation

The SpeedyPacker Insight system features two intuitive ways to control your cushion production. Mirroring the first six buttons of the touch display screen and capable of activating the system, the Quick Select Button panel stores commonly-used, pre-determined cushion sizes for fast and simple deployment. Additionally, the enhanced control panel is larger, with a simple yet robust interface and a greater range of flexibility for placement.

Cushioning and Void-Fill Solutions

The SpeedyPacker Insight system rapidly produces custom-shaped cushions that provide exact product positioning and engineered package performance, greatly reducing damage. The system also provides a fast, economical solution for your online void fill applications. Instapak foam expands up to 280 times its liquid volume, freeing up valuable warehouse space while reducing packaging material and optimizing cube size.

Features & Benefits

Cost-effective, superior product protection Expanding packing foam cushions for a custom fit Easy to use industrial-grade touch screen display Select optimum bag size and foam combinations Nearly limitless cushion combination options available, including Continuous Foam Tubes (CFTs) Programmable; create sequences of bags and/or CFTs with the push of a button

Upgrades and Accessories

Quick select buttons Film cradle Barcode scanning E-card Instapak connect Versatile system operation

Specifications

Benchtop Dimensions: 52"W × 30"D × 47"H Floor Model Dimensions: 52"W × 38"D × 79" to 103"H Film Size: 12" and 19" widths available Production Rate: (21) 12" bags per minute, 50% foam-filled Electrical: 200 – 240 VAC, Single-Phase 30 Amp Receptacle Type: NEMA L6-30R Certifications: UL and CE Approved Please contact Pro Pac or call 888-318-0083 for your protective packaging equipment.